



Polycrystalline solar modules



Pm(Watts)	Vmp	Imp	Voc	Isc	Size
3	9	0.34	10.62	0.36	200*200*25
5	9	0.56	10.62	0.61	200*290
3	17.2	0.17	21.6	0.18	200*220
5	17.2	0.29	21.6	0.3	200*310
5.5	17.2	0.31	21.6	0.34	200*330
6	17.2	0.34	21.6	0.37	200*350
6.5	17.2	0.37	21.6	0.4	200*370
7	17.2	0.4	21.6	0.44	200*400
9	17.2	0.52	21.6	0.57	356*260
10	17.2	0.58	21.6	0.63	356*277
11	17.2	0.66	21.6	0.69	356*304
12	17.2	0.70	21.6	0.80	356*322
14	17.2	0.81	21.6	0.89	356*366
15	17.2	0.87	21.6	0.95	356*385
16	17.2	0.93	21.6	1.02	356*412
17	17.2	0.98	21.6	1.07	356*430
18	17.2	1.04	21	1.12	356*457
20	17.2	1.16	21	1.27	356*502
22	17.2	1.27	21	1.39	356*547
24	17.2	1.39	21	1.52	356*592
25	17.2	1.45	21	1.64	356*610
26	17.2	1.51	21.6	1.66	356*628



Shanghai solar and new resource tech Co.Ltd

Tel: 0086-15821177826 Fax: 0086-21-61638388 ext. 5738

<http://www.solar-cell-panel.com> E-mail: Billy@solar-cell-panel.com

28	17.2	1.62	21.6	1.78	356*673
30	17.2	1.74	21.6	1.91	676*395*
33	17.2	1.90	21.6	2.09	676*431
35	17.2	2.03	21.6	2.23	676*458
40	17.2	2.32	21.6	2.57	676*512
45	17.2	2.61	21.6	2.87	676*566
50	17.2	2.91	21.6	3.17	676*611
55	17.2	3.20	21.6	3.48	676*674
60	17.2	3.49	21.6	3.89	676*737
65	17.2	3.77	21.6	4.15	676*782
70	17.2	4.06	21.6	4.46	676*836
75	17.2	4.36	21.6	4.79	676*899
80	17.2	4.65	21.6	5.12	676*953
85	17.2	4.94	21.6	5.44	676*1000
90	17.2	5.23	21.6	5.75	676*1070
95	17.2	5.52	21.6	6.07	676*1124
100	17.2	5.81	21.6	6.37	676*1187
110	17.2	6.4	21.6	7.03	676*1286
115	17.2	6.69	21.6	7.35	676*1346
120	17.2	6.86	21.6	7.55	676*1403
125	17.5	7.14	21.6	7.85	676*1480
130	17.5	7.43	21.6	8.13	678*1480
135	17.5	7.71	21.6	8.97	676*1480
140	17.5	8.00	21.6	9.22	676*1480
145	17.5	8.29	21.6	9.5	676*1480
150	34.4	4.36	43.4	4.79	990*1180
155	34.4	4.51	43.4	4.92	990*1220
160	34.4	4.65	43.4	5.08	990*1250
165	34.4	4.80	43.4	5.24	990*1290
170	34.4	4.94	43.4	5.4	990*1330
175	35.2	4.97	43.6	5.48	990*1364
180	35.2	5.11	43.6	5.5	990*1400
185	35.2	5.26	43.6	5.78	990*1436
190	35.2	5.4	43.6	5.93	990*1470
200	35.2	5.68	43.6	6.12	990*1556
220	35.2	6.25	43.6	6.67	990*1700
230	35.2	6.53	43.4	7.23	990*1950
235	35.2	6.68	43.4	7.51	990*1950
240	35.2	6.81	43.4	7.66	990*1950
245	35.2	6.96	43.4	7.81	990*1950




Shanghai solar and new resource tech Co.Ltd

Tel: 0086-15821177826 Fax: 0086-21-61638388 ext. 5738

<http://www.solar-cell-panel.com> E-mail: Billy@solar-cell-panel.com

250	35.2	7.10	43.4	7.89	990*1950
255	35.2	7.24	43.4	7.96	990*1950
260	35.2	7.39	43.4	8.31	990*1950
270	35.2	7.67	43.4	8.63	990*1950
280	35.2	7.95	43.4	8.82	990*1950
290	35.2	8.23	43.4	9.06	990*1950
300	35.2	8.52	43.4	9.37	990*1950
215	29.1	7.38	36.2	8.13	990*1640
220	29.1	7.56	36.2	8.32	990*1640
225	29.1	7.73	36.2	8.51	990*1640
230	29.1	7.90	36.2	8.69	990*1640

Monocrystalline solar modules



Pm(Watts)	Vmp	Imp	Voc	Isc	Size
3	17.2	0.17	21.6	0.18	160*250
5	17.2	0.29	21.6	0.3	160*360
6	17.2	0.34	21.6	0.36	290*210
7	17.2	0.4	21.6	0.44	290*250
9	17.2	0.52	21.6	0.57	290*300
10	17.2	0.58	21.6	0.63	290*350
11	17.2	0.63	21.6	0.69	290*376
12	17.2	0.70	21.6	0.80	290*380
13	17.2	0.76	21.6	0.83	290*400



Shanghai solar and new resource tech Co.Ltd

Tel: 0086-15821177826 Fax: 0086-21-61638388 ext. 5738

<http://www.solar-cell-panel.com> E-mail: Billy@solar-cell-panel.com

14	17.2	0.81	21.6	0.89	290*460
15	17.2	0.87	21.6	0.97	290*500
16	17.2	0.93	21.6	1.02	290*520
17	17.2	0.98	21.6	1.07	550*305
18	17.2	1.04	21.6	1.12	550*310
20	17.2	1.16	21.6	1.27	550*340
22	17.2	1.27	21.6	1.39	550*366
24	17.2	1.39	21.6	1.52	550*396
25	17.2	1.45	21.6	1.64	550*406
26	17.2	1.51	21.6	1.66	550*431
28	17.2	1.62	21.6	1.78	550*456
30	17.2	1.74	21.6	1.91	550*494
33	17.2	1.90	21.6	2.09	550*530
35	17.2	2.03	21.6	2.23	550*546
38	17.2	2.21	21.6	2.43	550*593
40	17.2	2.32	21.6	2.57	550*630
45	17.2	2.61	21.6	2.87	550*692
50	17.2	2.91	21.6	3.17	550*764
55	17.2	3.20	21.6	3.48	550*827
60	17.2	3.49	21.6	3.89	550*908
65	17.2	3.77	21.6	4.15	550*956
70	17.2	4.06	21.6	4.46	550*1190
75	17.2	4.36	21.6	4.79	550*1190
80	17.2	4.65	21.6	5.12	550*1190
85	17.2	4.94	21.6	5.44	550*1190
90	17.2	5.23	21.6	5.75	550*1190
145	34.4	4.21	43.2	4.63	808*1580
150	34.4	4.36	43.2	4.79	808*1580
155	34.6	4.47	43.4	4.92	808*1580
160	34.6	4.62	43.4	5.08	808*1580
165	34.6	4.76	43.4	5.24	808*1580
170	35.2	4.83	43.4	5.40	808*1580
175	35.2	4.97	43.6	5.48	808*1580
180	35.2	5.11	43.6	5.50	808*1580
185	35.2	5.26	43.6	5.78	808*1580
190	35.2	5.40	43.6	5.93	808*1580